

Soluble powder *

10% Apramycin Sulfate Soluble Powder

Antibiotics



Application

same as functional description.

Ingredients

Ampicillin Sulfate.

Appearance

light yellow and brown powder.

Good Manufacturing Practice



Functions

It is mainly used for the treatment of infections of domestic animals and poultry caused by gram-negative sensitive bacteria, such as artificially infected salmonellosis of piglets, yellow diarrhea of piglets, Escherichia coli, paratyphoid fever; artificially infected fowls with fowl white diarrhea and salmonellosis of chickens.



Dosage and method of administration

according to this product. Mixed drink, 2.5 to 5 grams per 1 liter of water for chickens for 5 days; 0.125 grams per kilogram of body weight for pigs for 7 days.

Safety And Packaging

Side effects

ototoxicity. Ampicillin sulfate most often causes vestibular damage, which increases with continued use of the drug and manifests itself in a dose-dependent manner. Overdose may result in neuromuscular blocking effects. Prolonged use may result in kidney damage.

Note

This product is easy to fail when it meets rust, the machinery for mixing feeds should pay attention to rust prevention, and this product is not good for mixing with trace element preparations. Prohibit the use of this product for hens in egg-laying period. Prepare drinking water for use on the same day.

Dormancy period

pig: 21 days, chicken: 7 days.



Storage

Sealed, keep away from light.

Packing

100g/bag

Packaging specifications can be adjusted according to customer requirements.

Feel Free to Contact Us for Your Needs!

Phone/WhatsApp: +86 15321587613
E-mail: hebeijinfeng@gmail.com