

Injection



Oxytetracycline 5% Injectio



Function

Antibacterial drug

Ingredients

Content per ml: hygromycin -50 mg
Solvent-I ml

Appearance

yellow to brownish yellow clarified liquid

Good Manufacturing Practice



Indications

- for the treatment of infectious diseases caused by sensitive Gram-positive and Gram-negative bacteria, Rickettsiae, Mycoplasma and other infectious diseases.



Dosage

Intramuscular in jection. 0.2-0.4 ml per kg body weight of livestock. If necessary, the injection can be repeated at intervals of 48 hours.

Specification

5%

Safety And Packaging

⚠ Cautions

1. Horses may develop enteritis after use. please use with caution.
2. Prohibit use in animals with severe liver or kidney dysfunction.
3. Prohibit the use on lactating cows.
4. Avoid concurrent use with drugs containing calcium, magnesium, aluminum and iron.
5. Discontinuation period: cattle, sheep, pigs: 28 days; 7 days before weaning.

🔔 Storage

1. Shielded from light. sealed. stored at 15° C-25° C.

📦 Packing

100ml/bottle

Packaging specifications can be adjusted according to customer requirements.

Feel Free to Contact Us for Your Needs!

Phone/WhatsApp: +86 15321587613
E-mail: hebeijinfeng@gmail.com