

Soluble powder *

40% Apramycin Sulfate Soluble Powder

Antibiotics



Application

same as the functional description.

Ingredients

Ciprofloxacin Hydrochloride.

Appearance

White or light yellow crystalline powder.

Good Manufacturing Practice



Functions

Used for the treatment of gram-negative bacterial infections in domestic animals, such as pig diarrhea, piglet white diarrhea, colibacillosis, paratyphoid fever; chicken colibacillosis, salmonellosis and so on.



Dosage and administration method

according to this product. Mixed: 0.625 to 1.25 g per 1 liter of water for chickens for 5 days; 0.03125 g per 1 kg of body weight for pigs for 7 days.

Specification

100g: 40g (40 million IU).

Safety And Packaging

Side effects

Ototoxicity: Ampicillin Sulfate tends to cause vestibular damage, which increases with continued use of the drug and manifests itself in a dose-dependent manner. Overdose may result in neuromuscular blocking effects. Prolonged use may lead to kidney damage.

Dormancy period

pig: 21 days; chicken: 7 days.

Storage

Sealed and kept away from light.

Packing

100g/bag

Packaging specifications can be adjusted according to customer requirements.

Feel Free to Contact Us for Your Needs!

Phone/WhatsApp: +86 15321587613
E-mail: hebeijinfeng@gmail.com