



PERAKUAN PEMATUHAN STANDARD (BAHAN BINAAN)

Dengan ini disahkan bahawa

M TRADE SOLUTIONS SDN BHD (1504996-T)

N. 18-4, JALAN PADU KAWASAN PERINDU
STRIAN TAMPOI 81200 JOHOR BAHRU JOH
OR

Telah menjalani ujian di makmal yang diiktiraf sebagaimana butiran di bawah

No. Kelulusan PPS : 2-01240143	
Nama & Alamat Kilang	
HEBEI GUOMEI NEW-TYPE BUILDING CO., LTD QUANCUN, DACHENG COUNTY LANGFANG CITY, HEBEI PROVINCE 065000 LANGFANG, HEBEI, CHINA	
Kategori Produk	Negara Pembuat
Insulation Material	CHINA
No. Sijil Produk / Laporan Ujian : PC013119	
Tempoh Sah Perakuan Pematuhan Standard	31 Jan 2024 sehingga 30 Jan 2025
Jenis produk Bahan Binaan : (Rujuk Lampiran A untuk butiran terperinci)	



SR NAZIR MUHAMAD NOR
PENGURUS BESAR
BAHAGIAN STANDARD DAN BAHAN BINAAN

SIJIL INI ADALAH CETAKAN KOMPUTER DAN TIDAK MEMERLUKAN TANDATANGAN

LAMPIRAN A

No. Kelulusan PPS : **2-01240143**
No. Permohonan : **PPSi_0124000349**
Nama Syarikat / Pengimport : **M TRADE SOLUTIONS SDN BHD**

NO.	NAMA PRODUK	STANDARD PRODUK	JENAMA	SAIZ / DIMENSI	MODEL NO.	GRED
1	INSULATION MATERIALS (MINERAL WOOL)	MS 1020 : 2022	MWOOL INSULATION	NOMINAL DENSITY: (10- 40) KG/M³ FIRE PROPAGATION INDEX: 6.7, 6.5, 7.4, 7.0 SURFACE SPREAD OF FLAME: CLASS 1 FIRE CLASSIFICATION: CLASS 0 TYPE : GLASSWOOL SIZE : THICKNESS: 50 MM; DENSITY: (10 - 40) KG/M³ THICKNESS: (50 - 85) MM; DENSITY: 16 KG/M³ THICKNESS: (25 - 50) MM; DENSITY: 32 KG/M³ WIDTH: 1.2 M LENGTH: (10 - 30) M	ROLL; MWOOL	